

| L<br>Number | Hits | Search Text  | DB  | Time stamp          |
|-------------|------|--|---|---------------------|
| 1           | 17   | bioleaching with zinc  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>18:50 |
| 2           | 12   | (bioleaching with zinc) and slurry                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:00 |
| 3           | 8    | (bioleaching with zinc) and oxygen                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:00 |
| 4           | 5    | (bioleaching with zinc) and oxygen with<br>control\$4        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:34 |
| 5           | 2    | 5007620.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>20:29 |
| 6           | 0    | 63007/94   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:35 |
| 7           | 0    | AU with "63007"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:36 |
| 8           | 0    | AU with 94/63007   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:36 |
| 9           | 0    | AU same 94/63007   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:36 |
| 10          | 0    | AU same "63007"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:36 |
| 11          | 8    | AU and "63007"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>19:38 |
| 12          | 9    | AU and bioreactor and oxygen and<br>dissolved                | DERWENT   | 2004/06/16<br>19:42 |
| 13          | 12   | bioreactor and oxygen and dissolved and<br>sensor            | DERWENT   | 2004/06/16<br>19:42 |
| 14          | 121  | oxygen same dissolved same sensor and<br>control             | DERWENT   | 2004/06/16<br>19:42 |
| 15          | 84   | oxygen same dissolved same sensor same<br>control            | DERWENT   | 2004/06/16<br>19:43 |
| 16          | 21   | oxygen same dissolved same sensor same<br>control same valve | DERWENT   | 2004/06/16<br>19:44 |
| 17          | 1    | 4680267.pn.  | DERWENT   | 2004/06/16<br>19:45 |
| 18          | 2    | 4680267.pn.  | USPAT;<br>DERWENT                                       | 2004/06/16<br>19:45 |

|    |    |  |   |                     |
|----|----|--|---|---------------------|
| 25 | 5  | 5007620.pn.9428184                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>20:29 |
| 26 | 3  | "9428184"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>20:44 |
| 29 | 47 | thermophil\$3 and bioleach and sulfides              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>21:00 |
| 31 | 34 | thermophil\$3 and bioleach and sulfides<br>same zinc | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/06/16<br>21:00 |